



Calibrations

- TOF - additional attention to assess TOF trigger
- Tagger/PS - requires dedicated effort due to run-to-run calibrations. Also microscope is in new position
- FCAL - special attention will need to be placed on the area around the beam hole
- MWPC - expect simple calibration. Needs efficiency study
- CD -only 3 quadrants read out

Activity	Coordination	Implementation
Electronics support	Beni Zihlmann	Fernando Barbosa, Chris Stanislav
MWPC Test stand	Beni Zihlmann	Alexander Austregesilo
Microscope move		
Mechanical, survey	Tim Whitlatch	Hall D staff
Assembly	Richard Jones (Uconn)	Jim McIntyre, Chris Stanislav
Trigger		
TOF design, firmware	Beni Zihlmann, Ilya Larin	Hai Dong, Chris Cuevas
FCAL/BCAL and integration	Beni Zihlmann, Ilya Larin	Alex Somov
Documentation	Elton Smith	Elton Smith, Tim Whitlatch
Target	Tim Whitlatch	Hall D staff
Software		
MWPC hits and monitoring	Ilya Larin, Mark Ito	Alex, Beni
Tracking	Simon Taylor	Simon Taylor
MWPC calibration/efficiency	Rory Miskimen, Beni Zihlmann	Albert Fabrizi
Particle ID (e/pi)	Rory Miskimen	Andrew Schick, Kishan Rajput
Particle ID (mu/pi)	Rory Miskimen, David Lawrence	Andrew Schick, Kishan Rajput
Amplitude Analysis	Elton Smith	New students
Standard calibration/monitoring		GlueX